



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,160	03/26/2004	Eric Joseph Bilskie	9596	1981
27752 7590 09/05/2007 THE PROCTER & GAMBLE COMPANY INTELLECTUAL PROPERTY DIVISION - WEST BLDG. WINTON HILL BUSINESS CENTER - BOX 412 6250 CENTER HILL AVENUE CINCINNATI, OH 45224			EXAMINER PETERSON, KENNETH E	
			ART UNIT 3724	PAPER NUMBER
			MAIL DATE 09/05/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/811,160

Applicant(s)

BILSKIE ET AL.

Examiner

Kenneth E. Peterson

Art Unit

3724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 July 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 2,8,10,15,17 and 20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-7,9,11-14,16,18,19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1,3-7,9,11-14,16,18 and 19 are rejected under 35 U.S.C. 103(a).

McCay et al.'575 shows a core slabber with most of the recited limitation including a cutter (30) mounted on an axial traversing element (23,31), which in turn is mounted on a radial traversing element (11). The feeler 80 constitutes a controller that determines a maximum depth of cut (paragraph spanning columns 3 and 4).

McCay lacks an integral transport element with two engaging portions, but it is well known in the art to employ an integral transport element, as taught by Esping et al.'098, who shows in figure 2 a pair of engagement pins (18) for transporting the roll upward to the slabbing position (lines 28-30, column 2). It would have been obvious to one of ordinary skill in the art to have modified McCay by replacing his roll support with Esping's integral transport element, as taught by Esping, in order to facilitate lifting the heavy roll into the slabbing position.

The "feed section" is below the roll in McCay's figure 2. The pins 18 lift the roll from the "feed section" up to the slabbing position.

The "discharge section" can be any spot nearby McCay's machine. The roll "may be conveyed" to the discharge section. Note that Applicant has claimed no structure for performing this task. It could be rolled there manually.

The "material removal section" is wherever the conveyor takes the material (lines 33,34, column 2).

3. Applicant's arguments with respect to the claims have been considered but are unpersuasive.

In Applicant's remarks section, in the paragraph numbered 2, applicant discusses Esping's supports 7 and 8. However, the supports are part of the embodiment of figures 1 and 4. As seen above, Examiner is referring to the embodiment of figure 2, which has a transport element with opposed pins, as described on lines 24-34 of column 2. This transport element is a *replacement* for McCay's roll holder, so there is no need for Examiner to show how Esping's transport element is incorporated into McCay's roll holder. The motivation to make this modification was set forth in the previous action, namely to facilitate lifting of the heavy roll. This does not destroy the base reference, since Esping's replacement parts perform *both* vertical transport and also roll holding during cutting.

3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the


shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth E. Peterson whose telephone number is 571-272-4512. The examiner can normally be reached on Mon-Thur, 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

kp



KENNETH E. PETERSON
PRIMARY EXAMINER